

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MINIMUM	DAILY	Number	OF	SUN-SPOT	GROUPS.

Months.	1890.	1891.	1892.	1893.	1894.	1895.
January		О	2	2	4	3
February .		o	I	2	4	3
March		О	I	3	3	4
April		I	2	4	3	5
May		2	4	6	3	1
June		1	4	5	5	4
July		2 -	3	4	4	
August	О	О	4	6	2	
September.	0	I	3	4	- 2	1
October	О	3	2	5	2	-
November .	О	2	3	4	3	
December .	О	I	2	2		

ALTA, IOWA, October 9, 1895. Latitude, 42° 40' N. Longitude, 6h. 21m. W.

DOUBLE-STAR MEASURES.

By R. G. AITKEN.

The following measures were made with the twelve-inch equatorial of this observatory. The position angle is usually the mean of four settings, and the distance that of three (occasionally four) double-distances. The position of the stars is given for 1880.0. The seeing is estimated by a scale on which 5 stands for the best conditions. The eye-piece used in most of the measures has a power of 545 diameters; but a few measures were made with lower powers.

S 13.

	R. A. oh 9 ^m 25 ^s .			
	$ heta_{\circ}$	ρο	Magnitude.	SEEING.
1895.664	81°.7	0".73	6.2 6.2	4+
1895.681	84 .3	o .81	6.2 6.2	3+
1895.692	86 .4	0.79	6.2 6.3	3
1895.68	84°.1	0".78	6.2 6.2	

Publications of the

Σ 60 (η Cassiopeiæ).

	R. A. oh 41 ^m 5	51s. De	cl. +57° 18′.		
	θ_{\circ}	ρο	MAGNITUDE.	SEEING.	
1895.664	203°. I	4".96	4 7.8	4	
1895.672	2 04 .I	5 .06	4 7.5	3+	
1895.681	205 .1	4 .75	4 7.5	4+	
1895.67	204°. I	4".92	4 7.6		
	βг	20 (v Scorpi	\ddot{i}).		
	R. A. 16 ^h 5 ^m	18. De	ecl. – 19° 9′.	•	
		A B.			
1895.462	°.5	o".88	6 6.5	3	
1895.489	5.2	O .75	6 6.5	2+	
1895.505	$\frac{2\cdot 7}{}$	0.79	6 6.5	3+	
1895.48	2°.8	o".81	6 6.5		
		CD.			
1895.462	44°.2	1″.90	7.0 8.5	3	
1895.489	42 .7	ı .87	7.5 8.5	2+	
1895.500	40 .9	1.90	7.0 8.0	2+	
1895.48	42°.6	1".89	7.2 8.3		
		β 624.			
	R. A. 16 ^h 15 ^m	-	ecl 22° 50′.		
1895.615	315°.4	1".29	8 9.2	4	
1895.634	318.5	r .08	8.2 9.8	4	
1895.642	314 .3	1.07	8.1 9.8	3	
1895.63	316°.1	1".15	8.1 9.6		
		β 241.			
	R. A. 16h 48m	24 ⁸ . De	ecl21° 22′.		
1895.615	164°.9	o".8o	7 7.1	3+	
1895.634	161.3	0 .60	7 7.3	3+	
1895.642	160 .1	0.73	7 7. I	3	
1895.63	162°. 1	0".71	7 7.2		
		β 357.			
R. A. 16 ^h 59 ^m 52 ^s . Decl. +10° 43′.					
1895.519	304°.3	1".24	8.0 9.3	3+	
1895.527	299 .6	1.38	8.3 9.2	2+	
1895.598	303.5	1.32	8.3 9.4	3+	
1895.55	302°.5	1".31	8.2 9.4		

β 823. Decl. +0° 49′. R. A. 17h om 29s. SEEING. MAGNITUDE. θ_{\circ} ρ_{o} 1895.634 6°.0 0".77 8.4 - - 9.3 3+ 1895.642 4 .4 0.99 8.1 - - 9.3 3 1895.738 8.7 8.3 - - 9.5 3+0 .79 6°.4 1895.67 o".85 8.3 - - 9.4 E. E. B. No. ?. R. A. 17^h 7^m 38^s. Decl. -8° 16′. 2".05 144⁰.9 1895.481 4 7.8 - 12.0 1895.519 147 .6 2.12 4 1895.598 154 .1 2 .02 8.2 - 12.4 3+ 2".06 8.0 - 12.2 148°.9 1895.53 S 2140 (a Herculis). R. A. 17h 9m 10s. Decl. + 14° 32′. 115°.3 4"·77 3.5 - - 6.0 1895.462 3 114.0 4.81 1895.470 4 .96 3.5 - - 6.0 1895.480 113 .5 3.5 - - 6.0 1140.3 4".85 1895.47 β 1121. (B. D. $+12^{\circ}$ 3264.) R. A. 17^h 31^m 52^s. Decl. +12° 37'. 235°.6 0".56 8.3 - - 9.5 1895.634 3+236 .1 8.5 - - 9.5 4+ 1895.681 0.70 8.5 - - 9.5 1895.708 236 .2 0.58 3 1895.67 236°.0 o".61 8.4 - - 9.5 A. C. 7. R. A. 17h 41m 47s. Decl. +27° 48'. 43°.6 I". IO 10 - 10 1895.505 3 1895.514 45 .3 1.17 10 - IO.2 4 I . I 4 10 - 10 3+1895.708 43 .9 44°.3 1".14 10 - IO.I 1895.58 H, 41. Decl. +72° 59'. R. A. 17h 42m 17s. 337°. I 1".41 7.8 - - 8.0 1895.653 7.8 - - 8.0 1895.672 337 .9 I .43 4+ 7.8 - - 8.0 1895.681 340 .I I .43 4

I".42

338°.4

1895.67

7.8 - - 8.0

β 47.

	R. A. 17 ^h 54 ^m	328. De	ecl. – 10° 14′.			
	$ heta_\circ$	ρο	MAGNITUDE.	SEEING		
1895.615	278°.0	1".57	8.2 - 10.4	4+		
1895.634	277 ·5	i .45	7.8 - 10.5	4		
1895.642	27 5 .•9	1.38	8.0 - 10.4	3		
1895.63	277°. I	1".46	8.0 - 10.4			
•	0 .0.	(D. A. C.	·			
	, ,	(B. A. C.	•			
	R. A. 17 ^h 54 ^m		ecl22° 47′.			
1895.514	237°.7	8".69	6 13	4		
1895.519	237 .1	8.21	6.3 13	4		
1895.598	238 .2	8 .44	6 13	3		
1895.54	237°.7	8".45	6.1 13			
	0	(C				
	•	(Groombr.				
	R. A. 17 ^h 58 ^m		ecl. +44° 13′.			
1895.598	147°.6	0″.90	8 10.0	3		
1895.615	146 .5	0.90	8 10.2	3-1-		
1895.738	148 .2	<u>• .77</u>	7.5 - 10.5	4		
1895.65	147°.4 .	o".86	7.8 - 10.2			
	\$ 227	a (70 Ohh	iuchi)			
∑ 2272. (70 Ophiuchi.)						
	R. A. 17 ^h 59 ⁿ	² 23 ⁸ . D	ecl. +2° 33′.			
1895.481	300°.6	2".43	4 8	3		
1895.681	298 .1	2.29	3.5 7.3	4		
1895.692	298 .3	2.26	3.5 7.5	3		
1895.62	299°.0	2".33	3.7 7.6			
		β 132.				
	R. A. 18h 4m	7 ⁸ . De	cl. – 19° 52′.			
1895.514	222°.6	0".83	7 7.2	3+		
1895.519	220.5	0.73	7 7.4	3+		
1895.598	224 .0	0.75	7 7.2	3		
1895.54	222°.4	0".77	7 7.3			

			,	
		β 465.		
	R. A. 18h 41		ecl. +56° 45′.	
	$ heta_{\circ}$	Po	Magnitude.	SEEING.
1895.598	292°. I	3". 15	8 10.1	3+
1895.609	291 .4	3.20	8 10.5	3
1895.730	<u> 294 .9</u>	3 .04	8.3 - 10.5	3+
1895.64	2 92°.8	3".13	8.1 - 10.4	
	βι	135. (L. 39	561.)	
	R. A. 20h 25	m 10s. D	ecl. +45° 20′.	
1895.749	338°.4	1".34	8 11.0	3
1895.768	333 .2	I .22	8 11.5	4+
1895.815	338 .7	ı .64	8.3 - 11.8	3
1895.78	336°.8	1".40	8.1 - 11.4	
	<i>β</i> 10	36. (Yarn. 9	9529.)	
	R. A. 21h 40h	^m 59 ^s . D	ecl 17° 51′.	
1895.749	209°.8	4".61	8 11.5	3+
1895.790	209 .4	4 .68	8 11.5	4
1895.815	208 .5	4 .82	8 12.0	3
1895.78	209°.2	4".70	8 11.7	
		∑ 3012-13.		
•	R. A. 23h 21		ecl. +15° 58′.	
		A. B.		
1895.768	267°.3	3".05	7.8 9.5	4+
1895.812	272 .1	2.98	7.8 9.3	4+
1895.815	270 .2	2 .67	7.8 9.3	3
1895.80	269°.9	2".90	7.8 9.4	
		C D.		
1895.768	188°.4	2":35	8.7 8.8	4+
1895.812	191 .6	2 .54	8.7 8.8	4+
1895.815	0. 881	2 .38	8.7 8.8	3
1895.80	189°.3	2".42	8.7 8.8	
	0 -	A.C.		
1895.768	243°.6	52"·54	7.8 8.7	4+

53.82

54 · 3 ^I

53".56

7.8 - - 8.7

7.8 - - 8.7

7.8 - - 8.7

4+

3

1895.812

1895.815

1895.80

244 .5

244 .2

244°. I

	β 73	3. (85 Pege	asi.)	
	R. A. 23 ^h 55 ^m 5	52 ⁸ . De	ecl. +26° 27′.	
		AB.		Canno
-0 60-	θ ₀ 186°.2	ρο	MAGNITUDE.	SEEING.
1895.681		0".73	5.5 - 12.0	2+
1895 692	188 .2	o .88	5.6 - 11.5	2+ 2+
1895.702	185 .6	o .86	5.6 - 12.0	
1895.708	184 .4	0 .91	5.5 - 12.0	3
1895.730	182 .4	o .86	5.5 - 11.5	4
1895.738	188 .2	0.91	5.5 - 11.5	4+
1895.71	185°.8	o".86	5.5 - 11.8	
		A C.		
1895.672	348°.3	29".27	5.5 8.8	4+
1895.681	348 .6	29 .36	5.5 - - 8.6	4+
1895.692	349 •2	29 .17	5.6 9.0	2+
1895.68	348°.7	29".27	5.5 8.8	
	β 99	97. (L. 472	15.)	
	R. A. 23 ^h 58 ^m	468. D	ecl. +45° 1′.	
1895.681	337°·5	4".23	7.8 8.8	4+
1895.692	340 .7	4 .06	8.0 9.2	2+
1895.702	341 .1	4 .08	8.0 9.2	2
1895.69	339°.8	4".12	7.9 9.1	
		OΣ 547.		
	R. A. 23 ^h 59 ^m		ecl. +45° 9′.	
1895.672	124°.4	4".51	7.8 7.8	4
1895.681	124 .2	4 .33	7.8 7.8	4+
1895.692	124 .4	4 .29	8 8	3

LICK OBSERVATORY, October 28, 1895.